


Alloy Steel Chain

Grade 8




Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønne Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
HLL-9-8	2,0	9	57	16	150	1,4
HLL-11-8	3,0	11	66	18	150	2,1
HLL-13-8	4,2	13	81	22	150	2,7
LL-16-8	6,4	16	100	26	50-100	4,3
LL-19-8	9,0	19	100	28	50-100	6,5
LL-22-8	12,1	22	120	32	50-100	8,5
LL-28-8	19,7	28	150	39	50	14,0
LL-32-8	25,7	32	170	44	50	19,0



Long link


Available yellow or black painted



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønne Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
MLL-13-8	4,2	13	50	18	100	3,3
MLL-16-8	6,4	16	65	29	100	5,1
MLL-19-8	9,0	19	75	29	100	7,1
MLL-22-8	12,1	22	88	30	50	9,4

Mid link

Available yellow or black painted



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønne Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
KLL-13-8	4,2	13	39	17	100	3,4
KLL-16-8	6,4	16	48	22	100	5,3
KLL-19-8	9,0	19	57	26	50	8,0
KLL-22-8	12,1	22	66	30	50	11,0


Short link

Available black painted

Alloy Steel Chain

Grade 8


GUNNEBO
CHAIN & LIFTING



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
HLC-9-8	2,0	9	53	15	150	1,4
HLC-11-8	3,0	11	64	19	150	2,1
HLC-13-8	4,2	13	80	22	150	2,9
LLU-16-8	6,4	16	100	28	50-100	4,4
LLU-19-8	9,0	19	100	28	50-100	6,5
LLU-22-8	12,1	22	120	36	50-100	8,7

Long link


Available yellow or
black painted



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
MLF-10-8	2,5	10	45	15	200	2,0
MLF-13-8	4,2	13	50	15	100	3,3
MLF-16-8	6,4	16	65	23	100	5,0
MLF-19-8	9,0	19	75	30	50	7,2
MLF-22-8	12,1	22	88	31	50	9,5

Mid link

Available yellow or
black painted




Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
KLF-7-8	1,2	7	21	10	200	1,1
KLF-10-8	2,5	10	30	15	200	2,2
KLF-13-8	4,2	13	39	18	125	3,4
KLF-16-8	6,4	16	48	22	92	5,3
KLF-19-8	9,0	19	57	26	50	8,0
KLF-22-8	12,1	22	66	30	50	11,0

Short link

Available black painted

Alloy Steel Chain

Grade 95




Vare nr. Part no. Parte no.	Breaking load	D	E	H	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso
	Ton	mm	mm	mm		Kg
PLL-13-95	26,5	13	80	22	100	2,83
PLLP-16-95	40,0	16	100	26	100	4,34
PLLP-19-95	57,0	19	100	27	108	6,31
PLL-22-95	75,0	22	120	37	70	8,74

TRAWLEX®

Long Link


Super Hardened chain with 25% extra strength



Vare nr. Part no. Parte no.	Breaking load	D	E	H	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso
	Ton	mm	mm	mm		Kg
PMLP-16-95	41,0	16	64	24,0	100	4,85
PMLP-19-95	57,0	19	76	28,5	75	6,92
PML-22-95	75,0	22	86	27,0	50	9,24

Mid Link

Super Hardened chain with 25% extra strength




Vare nr. Part no. Parte no.	Breaking load	D	E	H	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso
	Ton	mm	mm	mm		Kg
PKL-16-95	41,0	16	48	22,4	100	5,41
PKL-19-95	57,0	19	57	27,8	75	7,81
PKL-20-95	60,0	20	60	29,0	60	8,52

Short Link

Super Hardened chain with 25% extra strength

Alloy Steel Chain


Grade 8



Vare nr. Part no. Parte no.	SWL 5:1	D	E	H	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso
	Ton	mm	mm	mm		Kg/mtr.
FML-16-8	6,4	16	65	23	100	5,0
FML-19-8	9,0	19	75	30	75	7,2
FML-22-8	12,1	22	88	31	60	9,5

Mid Link

Available black painted



Vare nr. Part no. Parte no.	SWL 5:1	D	E	H	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso
	Ton	mm	mm	mm		Kg/mtr.
FML-16-95	6,4	16	65	23	100	5,0
FML-19-95	9,0	19	75	30	75	7,2
FML-22-95	12,1	22	88	31	60	9,5
FML-26-95	12,1	26	92	30	50	13,9


Grade 95

Mid Link

Available black painted

Alloy Steel Chain


Grade 8



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
HL-9-8	2,0	9	53	15	150	1,4
HL-11-8	3,0	11	64	18	150	1,8
HL-13-8	4,2	13	80	23	150	2,7
HL-16-8	6,4	16	80	28	100	4,8




Long Link




Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
ML-10-8	2,5	10	40	15	100	2,0
ML-13-8	4,2	13	50	17	100	3,2
ML-16-8	6,4	16	64	24	100	4,8
ML-19-8	9,0	19	75	29	100	7,8

Mid Link



Vare nr. Part no. Parte no.	SWL 5:1 Ton	D mm	E mm	H mm	Meter/tønde Meter/barrel Mits/baril	Vægt Weight Peso Kg/mtr.
KL-7-8	1,3	7	21	10	100	1,1
KL-10-8	2,5	10	30	14	100	2,2
KL-13-8	4,2	13	39	17	100	3,8
KL-16-8	6,4	16	48	22	100	5,7
KL-19-8	9,0	19	57	26	50	9,0
KL-22-8	12,1	22	66	30	50	11,0

Short Link



Vare nr. Part no. Parte no.	SWL 6:1 Kg	D mm	E mm	H mm	Vægt Weight Peso Kg/mtr.
LL-02-316	50	2	22	4	0,06
LL-04-316	210	4	32	8	0,27
LL-06-316	470	6	42	12	0,63
LL-08-316	840	8	52	16	1,10
LL-10-316	1310	10	56	20	1,75
LL-13-316	2250	13	82	26	2,95
LL-16-316	3350	16	82	32	4,45


Chain

Stainless

Long Link

AISI 316

DIN 763



Vare nr. Part no. Parte no.	SWL 4:1 Kg	D mm	E mm	H mm	Vægt Weight Peso Kg/mtr.
KL-03-316	100	3	16,0	5	0,16
KL-04-316	315	4	16,0	6	0,32
KL-05-316	490	5	18,5	7	0,50
KL-06-316	700	6	18,5	8	0,75
KL-07-316	960	7	22,0	9	1,00
KL-08-316	1260	8	24,0	10	1,35
KL-10-316	1960	10	28,0	14	2,25
KL-13-316	3320	13	36,0	18	3,80

Chain

Stainless

Short Link

AISI 316

DIN 766